


# PL-BH<sub>4</sub> MP-Resin

# PL-BH<sub>3</sub>(CN) MP-Resin



## Description

Polymer supported borohydride

## Synonyms


Quaternary amine resin; borohydride form; borohydride exchange resin (BER); (Polystyrylmethyl)trialkylammonium borohydride

## Applications

These polymer bound reducing agents are prepared from a specially formulated ion exchange resin, optimized for small molecule synthesis applications.

They are suitable for performing reduction of ketones to secondary alcohols or for reductive aminations.

Other applications include the formation of phenyl sulfides from a mixture of diphenyldisulfide and the polymer supported reducing agent.





## Description

Polymer supported cyanoborohydride

## Synonyms

Quaternary amine resin, cyanoborohydride form (Polystyrylmethyl)trialkylammonium cyanoborohydride



## References

- Gibson, H W & Bailey, F C (1977), J Chem Soc, Chem Commun, 815
- Hutchins, R O et al (1978), J Chem Soc, Chem Commun, 1088
- Yoon, N M et al (1983), Tetrahedron Lett, **24**, 5367
- Kabalka, G W et al (1990), Synth Commun, **20**, 293
- Yoon, N M et al (1994), J Org Chem, **59**, 3490
- Ley, S V et al (1998), J Chem Soc, Perkin Trans 1, 2239
- Habermann, J et al (1998), J Chem Soc, Perkin Trans 1, 3127
- Ley, S V et al (1999), J Chem Soc, Perkin Trans 1, 1251
- Habermann, J et al (1999), J Chem Soc, Perkin Trans 1, 1253
- Kirschning, A (2000), J Prakt Chem, **342**, 1
- Millois, C & Diaz, P (2000), Org Lett, **2**, 1705
- Contour-Galcéra, M-O et al (2001), Bioorg Med Chem Lett, **11**, 741
- Bream, R N et al (2002), Org Lett, **4**, 3793

## Products Information

Macroporous

### PL-BH<sub>4</sub> MP-Resin

2.0mmol/g 100Å 150-300µm (50-100 mesh)

### PL-BH<sub>3</sub>(CN) MP-Resin

1.9mmol/g 100Å 150-300µm (50-100 mesh)