


# PL-CO<sub>3</sub> MP-Resin

# PL-HCO<sub>3</sub> MP-Resin



## Description

Polymer supported carbonate

## Synonyms


Quaternary amine resin, carbonate form

## Applications

PL-CO<sub>3</sub> MP and PL-HCO<sub>3</sub> MP-Resins are the polymer bound equivalents of carbonate and hydrogen carbonate bases, and are designed for neutralization or for quenching reactions.

PL's materials are produced using a specially manufactured macroporous polystyrene ion exchange resin optimized for small molecule synthesis, unlike some commercially available equivalents which are based on a coarse ion exchange resin.

These resins are also useful for scavenging of acids.




## Description

Polymer supported hydrogen carbonate

## Synonyms

Quaternary amine resin, bicarbonate form



## References

- Cardillo, G et al (1981), Synthesis, 793
- Parlow, J J et al (1997), Tetrahedron Lett, **38**, 7959
- Ley, S V et al (1999), J Chem Soc, Perkin Trans 1, 1251
- Habermann, J et al (1999), J Chem Soc, Perkin Trans 1, 1253
- Habermann, J et al (1999), J Chem Soc, Perkin Trans 1, 2425
- Ley, S V & Massi, A (2000), J Comb Chem, **2**, 105
- Stauffer, S R & Katzenellenbogen, J A (2000), J Comb Chem, **2**, 318
- Bookser, B C & Zhu, S (2001), J Comb Chem, **3**, 205
- Bream, R N et al (2002), Org Lett, **4**, 3793

## Products Information

Macroporous

### PL-CO<sub>3</sub> MP-Resin

1.9mmol/g 100Å 150-300µm (50-100 mesh)

### PL-HCO<sub>3</sub> MP-Resin

1.8mmol/g 100Å 150-300µm (50-100 mesh)